

Amendments to the Claims:

This listing of the claims will replace all prior versions and listings of claims in this application.

Listing of Claims:

1. (Currently Amended) A method for identifying the orientation of an interesting object (IO) in a digital medical image, the method comprising the steps of:
 - a) creating a rectangular interesting image mask ~~that~~ to covers said interesting object from the original digital medical image;
 - b) generating a rough image based on said interesting image mask, the rough image coarsely describing the interesting object; and
 - c) identifying the orientation of said interesting object based on the rough image.
2. (Original) The method of claim 1, wherein said interesting object is an anatomical region.
3. (Currently Amended) The method of claim 1, wherein said ~~interesting image mask is~~ creating a rectangular interesting image mask comprises an operation selected from the group consisting one of: manually selected selecting the image mask by a user; automatically selected selecting the image mask by a program; and generated generating the image mask by another system.
4. (Original) The method of claim 1, wherein the size of the interesting image mask is the same as that of the digital medical image.

5. (Original) The method of claim 1, wherein said rough image is a binary image, and wherein said step of generating a rough image comprises the step of using unsupervised learning techniques to segment said interesting object.
6. (Original) The method of claim 5, wherein said step of using unsupervised learning techniques further includes the steps of:
 - using a clustering technique;
 - using a thresholding technique; and
 - using a self-organizing technique.
7. (Original) The method of claim 1, further including the use of one or more heuristic rules.
8. (Original) The method of claim 7, wherein the one or more heuristic rules are used in the step of identifying the orientation of the interesting object, and wherein the one or more heuristic rules compare features extracted from said rough image.
9. (Currently Amended) A system that performs identification of the orientation of an interesting object in digital medical image, the system comprising:
 - a digitizer system;
 - a computer system; and
 - a computer-readable medium containing software that, when executed by the computer system, causes the computer system to implement ~~implementing~~ the method of claim 1.

10. (Currently Amended) A method for segmenting ~~interesting objects (10)~~ in digital medical images, the method comprising the steps of:
 - a) creating a rectangular interesting image mask to cover that covers said an interesting object from an original digital medical image;
 - b) generating a rough image based on said interesting image mask, the rough image coarsely describing said interesting object; and
 - c) performing a post-process on said rough image.
11. (Original) The method of claim 10, wherein said interesting object is an anatomical region.
12. (Currently Amended) The method of claim 10, wherein said ~~interesting image mask is~~ creating a rectangular interesting image mask comprises an operation selected from the group consisting one of: manually selected selecting the image mask by a user; automatically selected selecting the image mask by a program; and generated generating the image mask by another system.
13. (Original) The method of claim 10, wherein the size of the interesting image mask is the same as that of original medical image.
14. (Original) The method of claim 10, wherein said rough image is a binary image, and wherein said step of generating a rough image comprises using unsupervised learning techniques to segment said interesting object.
15. (Original) The method of claim 14, wherein said step of using unsupervised learning techniques further includes the steps of:

- using a clustering technique;
- using a thresholding technique; and
- using a self-organizing technique.

[[15]] 16. (Currently Amended) The method of claim 10, wherein said step of performing a post-process comprises the steps of:

- a) searching landmark points; and
- b) trimming a boundary and removing noise.

[[16]] 17. (Currently Amended) The method of claim 10, wherein said post-process is based upon the rough image.

[[17]] 18. (Currently Amended) The method of claim [[16]] 17, wherein said ~~step of~~ searching landmark points includes at least one operation selected from the group consisting of the steps of:

searching top edge points and bottom edge points of the interesting object;

and

searching left edge points and right edge points of the interesting object.

[[18]] 19. (Currently Amended) The method of claim [[16]] 17, wherein said step of trimming a boundary and removing noise further includes:

- (a) searching edge points of the interesting object; and
- (b) using one or more heuristic rules.

[[19]] 20. (Currently Amended) The method of claim [[18]] 19, wherein a region of searching edge points used in said step of searching edge points is from top edge

point to bottom edge point in the vertical direction, and from left edge point to right edge point in the horizontal direction.

[[20]] 21. (Currently Amended) The method of claim [[18]] 19, wherein the one or more heuristic rules used in the step of trimming boundary and removing noise include the steps of:

using common logic inference; and

comparing the interesting object in the rough image with a real object.

[[21]] 22. (Currently Amended) A system for segmenting interesting objects (IO) in digital medical images, the system comprising:

- a digitizer system;
- a computer system; and
- a computer-readable medium containing software that, when executed by the computer system, causes the computer system to implement ~~implementing~~ the method of claim 10.

23. (New) The method of claim 10, wherein said rough image is a binary image, and wherein said step of generating a rough image comprises using a fuzzy clustering algorithm.

24. (New) The method of claim 23, wherein said fuzzy clustering algorithm comprises a Gaussian clustering method.

25. (New) The method of claim 1, wherein said rough image is a binary image, and wherein said step of generating a rough image comprises using a fuzzy clustering algorithm.
26. (New) The method of claim 25, wherein said fuzzy clustering algorithm comprises a Gaussian clustering method.